## 

## Compact yet it conserves energy for the paper unloading process.

Unloader - The Unloader stacks up the cut paper sheets on a pallet, reducing the load on the operator.




# The free lay-out system utilizes the limited space most effectively.




Flat rear design The flat rear allows installation against the wall for effective utilization of limited space.

#### Slide down system

The slide down system in which the table slides down onto the pallet reduces the operation time.





RC-115DX+RU4.0RB

#### **Machine specifications**

	К	/ B	/	AA (4.0 only)
Maximum paper size	650×950mm 27"×37 1/3"	810×1100 31 3/4"×43		810×1100mm 35 1/3"×51"
Minimum paper size	4000×600mm 15 3/4"×23 3/4"			
Maximum height of supplied paper stack	165mm 6 1/2"			
Minimum height of supplied paper stack	30mm 1 1/8"			
Maximum stack height	1400mm 55"			
Pallet height	130mm 5 1/4"			
Alternate stacking function	OPTION			
Weight	1320 kg 2900 lbs.	1500 kg 3300 lbs		1550kg 3410lbs.
Total electrical capacity		3.0kw		


#### Design that places pallets on the floor

The unloader can be connected to any paper cutter and the design that places pallets on the floor eliminates the need for pit construction.

#### **Easy operation**

Change in paper size involves only one switch.





RC-115DX+RU4.1RB





Self-check function It checks that the safety sensor functions correctly upon start of operation to ensure safety.



#### Various settings

As the settings for the stack pressure and

stack gap timer are digitally displayed, constant settings are available.


### Error message function

When an error occurs, the location of the error, date and time of occurrence are shown as an error message and stored in the records.

#### **Maintenance function**

Display of various information and data useful for troubleshooting and maintenance is possible.

#### **Machine dimensions**





**ITOTEC CO.,LTD** Funada No.10, Inuyama, Aichi-pref, 484-0912, JAPAN. Phone: 81-568-67-5311 Fax : 81-568-68-0495 The specifications listed here may be revised without any prior notice for the purpose of improvements.